Get BitBucket API key pair

Step 1: Open this page <u>https://developer.atlassian.com/apps/create</u> and log in with your Atlassian account.

Step 2:

(1) Click on "**Create**" button > select "**OAuth 2.0 integration**" option.

Console /				
My apps 💿				🕕 Create 🛩
Create and manage your Forge apps and OAuth 2.0 integratio	15.			Forge app
Search Q Distribution state	s 💌 🖯			OAuth 2.0 integration
App name		Distribution status	Updated on	Туре
S Tanan and Andreas		Not sharing	6/24/2020 11:18:28 PM	OAuth 2.0
		Not sharing	6/24/2020 9:47:48 AM	OAuth 2.0
S Taniai Tagin		Not sharing	6/24/2020 5:47:48 AM	OAuth 2.0
		< 1 >		
		_		

(2) Enter the app name then click on "**Create**" button.

A ATLASSIAN Developer		© (9)
	Create a new OAuth 2.0 (3LO) integration An app provides API credentials for Atlassian products and services, as we as features such as OAuth 2.0 (3LO). Name * A sample social login app Name your app according to its purpose, for example, Dropbox integration or Timesheets for Jira.	1
	Creste Cancel	

Step 3: Navigate to "**Distribution**" page > enter the required information fields > click on "**Save**" button.

A ATLASS	IAN Developer	() (NF)
A SAMPLE SOCIAL LOGIN APP Overview Distribution	Console / My apps / A sample social login app / Distribution	
Permissions Authorization Settings	A sample social login app is private Your app is listed as private. This means that only you can install and use it.	
	Enable sharing Connectsoon: Enable sharing for your app will let you distribute the installation URL to people outside your company Or make your app public, create a 3LO Apps > Distribute apps using Cloud APIs (2LO) ticket in the Marketplace Support Service Desk. Once accepted, share your app public, create a 3LO Apps > Distribute apps using Cloud APIs (2LO) ticket in the Marketplace Support Service Desk. Once accepted, share your app public, create a 3LO Apps > Distribute apps using Cloud APIs (2LO) ticket in the Marketplace Support Service Desk. Once accepted, share your app public, create a 3LO Apps > Distribute apps using Cloud APIs (2LO) screen in app management. Personal data declaration App stores personal data* More of your copy and store personal data associated with user references (e.g. AccountID) in your own systems or if you cache data for longer than 24 hours. Vendor Resupport details Vendor name* New yoligy* Mtps://yourdomain.com/privacy-policy Terms of service thtps://yourdomain.com/privacy-policy Lotsoner support ontact Lytes//example.com/contact Suce	
ATLASSIAN	System status Privacy Developer Terms Trademar	k © 2021 Atlassian

Step 4: Navigate to "**Permissions**" page > Click on "**Add**" button to add API scopes to your app. Add the highlighted scopes in the screenshot below.

A ATLASSI	AN Developer	© (97
A SAMPLE SOCIAL LOGIN APP Overview Distribution Permissions Authorization	Console / My apps / A sample social login app / Permissions Add and configure your app's API scopes. See OAuth 2.0 (3LO) for apps.	
Jetungs	 Confluence API Get, create, update, and delete content, spaces, and more. User REST API Get user details, such as the Attassian Account Id. Jira platform REST API Get, create, update, and delete issues, projects, fields, and more. Jira Service Desk API Work with Jira Service Desk-specific entities, such as requests. Add Personal data reporting API Report user accounts that an app is storing personal data for. User identity API Get the profile details for the currently logged-in user, such as the Atlassian account ID and email. 	gure Documentation gure Documentation gure Documentation gure Documentation gure Documentation
A ATLASSIAN	System status Privacy Developer Ter	ms Trademark © 2021 Atlassian

Step 5:

(1) Navigate to "**Authorization**" page > Click on "**Configure**" button to navigate to OAuth 2.0 configuration page.

A SAMPLE SOCIAL LOGIN APP Overview Distribution Permissions Authorization Settings Settings Authorization type Authorization type Authorization type Authorization a user's behalf. Configure Configure Configure Configure Configure	A ATLASS	SIAN Developer	@ 🔘
Authorization Action Settings Authorization type Action OAuth 2.0 (3LO) Allows your app to access APIs for Atlassian products and services on a user's behalf. Configure Documentation	A SAMPLE SOCIAL LOGIN APP Overview Distribution Permissions	Console / My apps / A sample social login app / Authorization View the authorization configured for your app	
Settings Authorization type Action OAuth 2.0 (3LO) Allows your app to access APIs for Atlassian products and services on a user's behalf. Configure Documentation	Authorization		
	Settings	Authorization type OAuth 2.0 (3LO) Allows your app to access APIs for Atlassian products and services on a user's behalf.	Action Configure Documentation

(2) Enter the Callback URL provided by **Social Login** module > Click on "**Save changes**" button.

A ATLASS	AN Developer	0
A SAMPLE SOCIAL LOGIN APP Overview Distribution Permissions Authorization	Console / My apps / A sample social login app / Authorization / OAuth 2.0 authorization code grants (3LO) for apps Configure OAuth 2.0 authorization code grants to allow your app to access data (within specific scopes) from Atlassian APIs on the user's behalf. Learn more about OAuth 2.0 authorization code grants for Jira Cloud and Confluence Cloud.	
Settings	Callback URL* https://demo1.ets-demos.com/sociallogin/module/ets_sociallogin/callback Save changes Discard changes	

🗠 Dashboard 🛛 😁 So	ocial Networks	Positions	Discounts	Statistics	🔒 Social users	Settings	
Dribbble	On						
Foursquare	On	BITBUCKET					
Q Odnoklassniki	On						
\delta Weibo	On	* Application ID					
Vimeo	On			Where do I get th	is info?		
Mailru	On	* Application Secr	et	Where do I get th	is info?		
Vkontakte	On	6-11		https://demo1.e	ts-demos.com/sociallogir	n/module/ets_sociallogin/callback	
PixelPin	On	Caliback URL		Copy and paste this Callback URL to get your social network API key pair			
Meetup		BitBucket requir	es that you create an e	external application lin	king your website to their	ir API. To know how to create this application click on "Where do Let this info?" and follow	
Discord		steps.					
Disgus							
Blizzard	On	Save					
GitHub	On						
GitLab	On						
BitBucket	On						
StackExchange	On						

Step 6:

(1) Navigate to "**Settings**" tab > upload your app avatar and enter app description > Click on "**Save changes**" button.

A ATLASSI	AN Developer	© (N)
A SAMPLE SOCIAL LOGIN APP Overview Distribution Permissions Authorization Settings	Console / My apps / A sample social login app / Settings	
	Save changes Cancel	

(2) Click on "**Copy**" button to copy **Client ID** and **Secret**, then paste them into **Social Login** module configuration page.

		_
Permissions	General setting	
Authorization		
Settings	Name*	
	A sample social login app	
	Туре	
	OAuth 2.0 integration	
	Avatar	
	Change avatar	
	Description	
	Log in to our website using your existing Atlassian account	
	Authentication details Use the Client ID and Scoret for authentication: Jean more about QAuth 2.0 integrations.	
	Client ID	
	Secret	
	•••••••••••••••••••••••••••••••••••••••	
	Delete app	
A ATLASSIAN	System status Privacy Developer Terms Trademark © 2021 Atlassian	