# Get Google API key pair

**Step 1:** Open <u>Google page</u> and log in with your Google account. Then navigate to **Google console page**: <u>https://console.developers.google.com</u>

By default, there is a pre-made project named "My project". We will create a new one.

#### Step 2:

(1) Click on "My Project" link on the header to open "Select a project" popup. Click on "New project" link.

=	Google Cloud	My Project 65571 👻	Search (/) for resources, docs, p	products, and more Q	L Search	Þ. þ. Ø. : 🚯 🕯
API	APIs & Services 🛛 📮	APIs & Services + ENABLE AF	YIS AND SERVICES			
	Enabled APIs & services				1 hour 6 hours 12 hours 🗸 1 day 2 days 4	days 7 days 14 days 30 days
壯	Library					
0-	Credentials	Traffic	Select a project	NEW PROJECT	Median latency	≅ ~ć :
:> ≡o	OAuth consent screen		Search projects and folders			
-0	raye waaye ayreeneena	▲ No data is available for the se			No data is available for the select	ted time frame.
			Name   ✓ ☆ 🏞 🔮	ID		
		UTC+7 Jan 18 8:00	☆ \$*		UTC+7 Jun 18 8:00 AM	12:00 PM
		= Filter Filter	\$\$ <b>0</b>			0
		Name 🔶 Ro	gu ☆ 🏶 🛛 🖓			
		BigQuery API	¢ 🌮 🛛 😯			
		BigQuery Migration API				
		BigQuery Storage API				
		Cloud Datastore API				
		Cloud Logging API				
		Cloud Monitoring API				
		Cloud SQL				
		Cloud Storage		CANCEL		
		Cloud Storage API				
		Cloud Trace API				
		Google Cloud APIs				

(2) Enter your project name > select parent organization or folder (optional). Click on "Create" button.


	Search (/) for resources, docs, products, and more	Q Search
New Project		
You have 6 projects remaining in your quota. Request an increase or delete projects. Learn more [2]		
Project name * Sample social login for PS Project ID: sample-social-login-for-ps. It cannot be changed later. EDIT		
Location *		
Parent organization or folder CREATE CANCEL		

(3) A notification will appear. Click on "Select project" to open your newly created project.

=	Google Cloud	<b>3•</b> №	ly Project 65571 💌	Q, Sea	arch		Þ. Ó	0	÷	() ^			
API	APIs & Services	r i	APIs & Services + ENABLE APIS AND SERVICES			Notifications							
	Enabled APIs & services						1	h	Create Project: Sample social login for PS SELECT PROJECT	Just now	1 days	30 day	8
# ~	Library Credentials		Traffic	≅ ~ :	Errors	≅ <i>r</i> 6,	:		SEE ALL ACTIVITIES		16	:	
V	OAuth consent screen							-					
Ξo	Page usage agreements		No data is available for the selected time frame.		No data is available for the selected time	e frame.			No data is available for the selected	time frame.			
			UTC+7 Jun 18 8.00 AM 12.00	PM	UTC+7 Jun 18 8:00 AM	12:00 PM		UTR	C+7 Jun 16 6:00 AM	12:00 PM			

# Step 3:

 From the sidebar menu, select "OAuth consent screen". Select "External" option then click "Create".



(2) Enter the required information on "OAuth consent screen" page:

- App name: enter your app name.
- User support email: select your email address.
- App logo: upload an image to set it as the app logo.
- App domain: enter your website URL into "Application home page" field.

=	Google Cloud	Sample social login for PS 💌	Search (/) for resources, docs, products, and more	Q Search
AP:	🕻 APIs & Services 🛛 📮	Edit app registration		
\$ #	Enabled APIs & services Library	1 OAuth consent screen — 2 Scopes — 3 Test user	s — 🔕 Summary	
0+	Credentials	App information		
i9	OAuth consent screen	This shows in the consent screen, and helps end users know who you are an you	d contact	
F <sub>0</sub>	Page usage agreements	App name *         Sample app name         The name of the app asking for consent         User support email *         Or users to contact you with questions about their consent. Learn more (2)         App Dapp         This your logo. It helps people recognize your app and is displayed on the donner torcen.         Are you upload a logo, you will need to submit your app for verification unle is configured for internal use only or has a publishing status of "Testing". Learn more (2)         App logo         App logo preview         Logo fie to upload app logo.png         X         App logo preview         Logo fie to upload pinger promoter than Will how the consent screent hat will help users to your app. Allowed image formats are JPG, PNG, and BMP. Logos should be sequent app. by 120p. for the best results.	ss the app in more 2 BROWSE ecognize	

- Privacy policy and Terms of service link: enter your website's privacy policy and terms of service link into respective fields.
- Developer contact information: enter your email address again.

After entering the links, Google Console will auto-detect your domain(s) as missing. Click on "Add domain" button.

=	Google Cloud	*	Sample social login for PS 🔻	Search (/	) for resources, docs, products, and more	Q Search
API	APIs & Services		Edit app registration			
\$ ≣ ∽	Enabled APIs & services Library Credentials		Logo file to upload sample app logo.png Upload an image, not larger than 1MB on the consent screen that will help users your app. Allowed image formats are JPA, PNG, and BMP. Logos should be equi 120p. by 120ps for the best results.			
52	OAuth consent screen					
Ŧo	Page usage agreements		App domain To protect you and your users, Google only allows apps using OAuth to use Domains. The following information will be shown to your users on the com Application home page https://yourdomain.com Provide users a link to your home page Application privacy policy link https://yourdomain.com/privacy-policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public privacy policy Provide users a link to your public terms of service Authorized domains @ When a domain is used on the consent screen or in an OAuth client's configuration pre-registered here. If your appneeds to go through verification, please go to the g console to check if your domains are authorized. Learn more go about the author link.  Musing domain: yourdomain.com L + ADD DOMAIN Email addresses * These email addresses are for Google to notify you about any changes to yourp	h, it must be cicogle Search		
<1			SAVE AND CONTINUE CANCEL			

Type your domain, then click the "**Save and continue**" button to complete. You can add multiple domains for an app.

=	Google Cloud	*	Sample social login for PS 🔻		Search (/) for resources, docs, products, and more	Q, Search						
API	APIs & Services		Edit app registration									
¢	Enabled APIs & services			n 1MB on the consent screen that will help users s are JPG, PNG, and BMP. Logos should be squa ifte								
ш	Library											
07	Credentials		App domain	p domain								
B2	OAuth consent screen			o protect you and your users, Google only allows apps using OAuth to use Authorized omains. The following information will be shown to your users on the consent screen.								
=0	Page usage agreements		pre-registered here. If your app ne <u>Console</u> to check if your domains limit. <u>Authorized domain 1 *</u> yourdomain.com <u>+ ADD DOMAIN</u> <u>Developer contact in</u> <u>Email addresses *</u>	Ic privacy policy	loogle Search							
<1			SAVE AND CONTINUE	CANCEL								

# Step 4:

(1) Click on "Add or remove scopes" button.


=	Google Cloud	÷	Sample social login for PS 🔻	Search (/) for resources, docs, products, and more	Q Search				
API	APIs & Services	ŧ.	Edit app registration						
¢	Enabled APIs & services		OAuth consent screen — 2 Scopes — 3 Test user	s — 🔕 Summary					
出	Library								
0+	Credentials		Scopes express the permissions you request users to authorize app and allow your project to access specific types of private us	placcess specific types of private user data					
92	OAuth consent screen		from their Google Account. Learn more						
Ξo	Page usage agreements		ADD OR REMOVE SCOPES						
			Your non-sensitive scopes						
			API      Scope User-facing description						
			No rows to display						

(2) Select the following scopes:

• .../auth/userinfo.email

- .../auth/userinfo.profile
- openid

Then scroll down and click on "Update" button.



(3) Click on "Save and continue" button.

=	Google Cloud	3-	Sample social logi	n for PS 🔻			Search (/) for resources, docs, products, and more	Q Search					
API	APIs & Services		Edit app re	gistration									
\$ #	Enabled APIs & services		🥑 OAuth o	onsent screen	— 💈 Scopes — 🗿 Test users — 🖪	Summary							
67 19	Credentials		app and all		ssions you request users to authorize for your to access specific types of private user data . Learn more (2)								
Ξo	Page usage agreements		ADD OR RE	ADD OR REMOVE SCOPES									
			Your nor	n-sensitive s									
			API 🛧	Scope	User-facing description								
				/auth/ userinfo .email	See your primary Google Account address								
				/auth/ userinfo .profile	See your personal info, including any personal info you've made publicly available								
				openid	Associate you with your personal info on Google								
				Scope	opes al request access to private user data. User-facing description								
				Scope	COPES that request access to highly sensitive user data. User-facing description								
			SAVE AND C	ONTINUE CA	ANCEL								

(4) Click on "Save and continue" button again.

=	Google Cloud	● Sample social login for PS ▼	Search (/) for resources, docs, products, and more	Q Search								
API	APIs & Services	Edit app registration										
\$	Enabled APIs & services	✓ OAuth consent screen — ✓ Scopes — ③ Test use	rs — 🔕 Summary									
Ш	Library											
0-	Credentials	Test users										
92	OAuth consent screen		While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. Learn more 2									
Ξo	Page usage agreements	the entire lifetime of the app. Learn more										
		+ ADD USERS										
		= Filter Enter property name or value	0									
		User information										
		No rows to display										
		SAVE AND CONTINUE CANCEL										

(5) Review all the information. If you want to change any info, click on "Edit" link.

=	Google Cloud	**	Sample social login for PS 🔻	Search (/) for resources, docs, products, and more	Q Search								
API	APIs & Services		Edit app registration										
¢ #	Enabled APIs & services Library		✓ OAuth consent screen —   Scopes —   Test users	)Auth consent screen — 🤣 Scopes — 🤣 Test users — 🔕 Summary									
	Credentials		OAuth consent screen	EDIT									
92	OAuth consent screen		User type										
Ξo	Page usage agreements		External										
			App name Sample app name Support email App logo The second										
<1			Contact email addresses										

_											
=	Google Cloud	<b>:</b> s	ample social lo	gin for PS 🔻		Search (/) for resources, docs,	products	s, and more	Q Search		
API	APIs & Services		Edit app re	egistration							
	Enabled APIs & services Library Credentials OAuth consent screen Page usage agreements		Application privacy policy link https://yourdomain.com/privacy-policy Application terms of service link https://yourdomain.com/terms-of-service Authorized domains yourdomain.com Contact email addresses								
			Scopes				EDIT				
			API 🛧	Scope	User-facing description						
				/auth/userinfo.email	See your primary Google Acco	ount email address					
				/auth/userinfo .profile	See your personal info, includ available	ing any personal info you've made publi	cly				
				openid	Associate you with your perso	mal info on Google					
4			Test user Filter User inform No rows to BACK TO D	0 users Enter property name or val ation display	(0 test, 0 other) / 100 user cap 4	9 9	EDIT				

# Step 5:

(1) Navigate to "Credentials" page. Click on the "Create credentials" button.

= Google Cloud	Sample social login for PS 🔻	Search (/) for resources, docs, products, and more	Q, Search	🗅 ¢ Ø : 🚯 ´						
RPI APIs & Services	Credentials + CREATE CREDENTIALS	IN RESTORE DELETED CREDENTIALS								
Enabled APIs & services	Create credentiais to access your enabled APIs, our more (2									
III Library	API Keys									
O+ Credentials	Name Cro	ration date 🗸	Restrictions	Actions						
19 OAuth consent screen	No API keys to display									
≡ <sub>0</sub> Page usage agreements	OAuth 2.0 Client IDs									
	Name C	creation date 🔸	Туре	Client ID Actions						
	No GAuth clients to display									
	Service Accounts	Name 个		Manage service accounts						
	No service accounts to display									

### (2) Select "OAuth client ID" option.

=	Google Cloud	Sample social login for PS	•	Search (/) for resources, docs, pro	ducts, and more	Q Search	N L	1 (2)	÷ 🚯
API	APIs & Services 🛛 📮	Credentials	+ CREATE CREDENTIALS	RESTORE DELETED CREDENTIALS					
¢	Enabled APIs & services	Create credentials to ac	API key Identifies your project using a simple API key to c	heck quota and access					
Ш	Library	API Keys	OAuth client ID Requests user consent so your app can access th	re user's data					
0+	Credentials	Name	Service account		Restrictions				Actions
IV	0Auth consent screen	No API keys to displa	Enables server-to-server, app-level authentication	using robot accounts					
≡o	Page usage agreements	OAuth 2.0 Client	Help me choose Asks a few questions to help you decide which ty	pe of credential to use					
		Name Name	Crea	tion date 🗸	Type	Client ID			Actions
		No OAuth clients to c	lisplay						
		Service Accounts	1				Mar	age service ac	ccounts
		Email		Name 🕇					Actions
		No service accounts	to display						

(3) Select "Web application" for "Application type" field.

=	Google Cloud	Sample social login for PS 💌	Search (/) for resources, docs, products, and more	Q Search
API	APIs & Services 🛛 📮	← Create OAuth client ID		
∲ #	Enabled APIs & services Library	A client ID is used to identify a single app to Google's OAuth servers. If your multiple platforms, each will need its own client ID. See <u>Setting up OAuth 2.0</u> information. Learn more [2] about OAuth client types.		
o.	Credentials	Application type *		
17	OAuth consent screen	L Web application		
Ξo	Page usage agreements	Android Chrome Extension IOS TVs and Limited Input devices Desktop app Universal Windows Platform (UWP)		

- (4) We will need to enter "Authorized JavaScript origins" and "Authorized redirect URIs". Click on "Add URI" button and:
- Enter your website URL for "Authorized JavaScript origins"
- Enter the redirect URI provided by **Social Login** module for "**Authorized redirect URIs**". You can enter multiple redirect URIs if your website has multiple languages.

Finally, click on "Create" button to finish.

=	Google Cloud	:•	Sample social login for PS 🔻	(	Q Search
API	APIs & Services		Edit app registration		
<b>令</b> 出	Enabled APIs & services Library		Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPQ, PNG, and BMP. Logos should be square and 120px by 120px for the best results.		
04	Credentials		App domain		
92	OAuth consent screen		To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.		
Ξo	Page usage agreements		Solution the two offers and the statement of your basis of the contain acted.         • https://yourdomain.com/temp page         • https://yourdomain.com/temp of service         • https://yourdomain.com/temp of service         • https://yourdomain.com/temp of service         • Novide users a link to your public terms of service         • Novide users a link to your public terms of service         • Muthorized domain @         When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the Google Search Console to che if your domains are authorized. Learn more PC about the authorized domain limit.         • Authorized domain 1*         • yourdomain.com         • ADD DOMAIN         • ADD DOMAIN         • Email addresses are for Google to notify you about any changes to your project.         • Authorized contain 1*         • Content 1         • Authorized addresses are for Google to notify you about any changes to your project.         • Authorized addresses are for Google to notify you about any changes to your project.		
<1					


🛃 Dashboard	😁 Social Networks	🖵 Positions 🗳 Discounts	ាៅ Statistics 🛔 Social users 🔅 Settings
<b>a</b> Amazon	On	GOOGLE	
P Paypal	On On	* Application ID	Where do I get this info?
G Google	On On	* Application Secret	Where do I get this info?
instagram	O off	Redirect URI	https://demo1.ets-demos.com/sociallogin/module/ets_sociallogin/callback Copy and paste this Redirect URI to get your social network API key pair
Pinterest	O off	Google requires that you create an e	external application linking your website to their API. To know how to create this application click on "Where do I get this info?" and follow steps.
Windows Live	Ott		
Yahoo Dropbox		Save	
Wordpress	On		

(5) Copy the **client ID** and **client Secret** then paste them into **Social Login** module setting.

=	Google Cloud	Sample social login for PS		Search (/) for resource	es, docs, products, and more	Q, Search	Þ ¢ Ø :	( 🚯 î
API	APIs & Services	Credentials + CREATE CREDENTIA	LS 🖀 DELETE 🦛 RESTORE I	DELETED CREDENTIALS				
¢	Enabled APIs & services	Create credentials to access your enabled APIs. La	em more 🗷					
ᇤ	Library	API Keys						
04	Credentials	Name	Creation date	.1.	Restrictione			Actions
B	OAuth consent screen	No API keys to display	circular care	•				
Ŧo	Page usage agreements	OAuth 2.0 Client IDs		OAuth client cr	reated			
		Name Name	Creation date 🔸		n always be accessed from Credentials in APIs &	Client ID	4	Actions
		Web client 1	Jun 18, 2024	Services		582394423488-dgam <b>D</b>	11	1 ±
		Service Accounts		OAuth access i     OAuth consent	is restricted to the lest users 🖾 listed on your screen		Manage service act	counts
		Erneil		Client ID	582394423400-		1	Actions
		No service accounts to display						
				Client secret	GOCSPX-			
					0			
				Creation date Status	June 18, 2024 at 4:11:44 PM GMT+7			
				± DOWNLOAD JSON				
					OK			
				OAuth client o	created X			
a								

**Step 6:** Finish **Step 5**, your app is only available for test users. To publish your app to all users, you will need to submit your app to Google.

(1) Navigate to "**OAuth consent screen**" page > Click on "**Publish app**" button.



(2) When the popup appears, click on "Confirm" button.

≡ Google Cloud	Sample social login for PS 💌	Search (/) for resources, docs, products, and more Q. Sea	arch 🗋 🗘 🧷 🗄	0
RPI APIs & Services	OAuth consent screen		Learn	ы
ф Enabled APIs & services Ш Ubrary	Sample app name 🖌 EDIT APP		Google OAuth consent screen What is the OAuth consent screen?	~
o+ Credentials B/ OAuth consent screen	Publishing status		What are OAuth consent scopes?	~
IIo Page usage agreements	PUBLISH APP		What are sensitive API scopes?	~
	User type	Push to production?	What are restricted API scopes?	~
	External 🕖	Your app will be available to any user with a Google Account.	The app registration process	
	MARE INTERNAL	You've configured your app in a way that requires verification (c). To complete verification, you will need to provide:	What information do I need?	~
	OAuth user cap	1. An official link to your app's Privacy Policy     2. A YouTube video showing how you plan to use the Google user data you	Will my app need to be verified by Google?	~
	While publishing status is set to "Testing", only test users are able to acce the app. Allowed user cap prior to app verification is 100, and is counted (	get from scopes 3. A written explanation telling Google why you need access to sensitive and/or restricted user data	What if I don't verify my app?	~
	the entire lifetime of the app. Learn more 12 0 users (0 test, 0 other) / 100 user cap	4. All your domains verified in Google Search Console	How long does the verification process take?	~
		CANCEL CONFIRM	How many users can use my app?	~
	Test users		Domain verification	~
	+ ADD USERS		What else should I review?	~
	😇 Filter Enter property name or value			
	User information			
	No rows to display			

- (3) Click on "**Prepare for verification**" button.
- (4) You will be navigated to "Prepare for verification" page. Check all the information on the "OAuth consent screen" screen and edit anything you find not exactly. Click on "Save and continue" button to move to the next screen.

≡ Google Cloud :•	Sample social login app 💌	Search (/) for resources, docs, products, and more	Q Search	⊾ ¢ ∅ ⊧ 📄 î
RPI APIs & Services	Prepare for verification			<ul> <li>A</li> </ul>
<ul> <li>Enabled APIs &amp; services</li> <li>Library</li> </ul>	Your app registration requires verified	ation by Google. We will check all fields required for verification and allow you to submit your app.		í I
• Credentials	• OAuth consent screen — • Se	opes — * Optional info — * Final review		
3 Page usage agreements	App information The stown in the consent screen, and helps en- Agamme * Agamme * A	r consent app and is displayed on the OAuth your app for verification unless the app		
đ	✓ Change logo ✓			

≡ Google Cloud :•	Sample social login app 🔻	Search (/) for resources, docs, products, and more	Q Search	Þ ¢ (	? :	• î
RPI APIs & Services	Prepare for verification					<i ^<="" th=""></i>
<ul> <li>Enabled APIs &amp; services</li> <li>Library</li> <li>Credentials</li> </ul>	App domain To protect you and your users, Google only allows appa using OAuth to Domains. The following information will be shown to your users on the				^	
OAuth consent screen	Application home page *					
≂o Page usage agreements	Provide users a link to your home page	the Google Search				
a	Authorized domain 1 * Authorized domain 2 * + AOD DOMAIN Developer contact information Imal addresses * These email addresses use for Google to notify you about any changes to yo SAVE AND CONTINUE CANCEL	ar project.				

(5) On the "Scope" screen, scroll down and click on "Save and continue" button.

APIs & Services       Prepare for verification                • Enabled APIs & Services             • Library             • Credentials             • Outh consent screen - • Scopes - • Optional Info - • Final review             Scopes express the permissions you request users to authorize for your             app and allow your project to access specific types of private user data             from their Googe Account. Learn mode 20             Hyou add sensitive (a) or restricted (b) scopes, like scopes that let you             access a user's emails or contacts, you will need to submit your app for             werification. Learn mode 20             Hyou add sensitive scopes             Laco OR REMOVE SCOPES              Vour non-sensitive scopes <u>Auto OR REMOVE SCOPES             Vour non-sensitive scopes             <u>Accoore and addreg are premoted             areality             areality   </u></u>	RPI APIs & Services       Prepare for verification <ul> <li>Enabled APIs &amp; services</li> <li>Library</li> <li>Ordentiais</li> <li>OAuth consent screen — • Scopes — • Optional info — • Final review</li> </ul> <ul> <li>Douth consent screen — • Scopes — • Optional info — • Final review</li> </ul> <ul> <li>Ordentiais</li> <li>OAuth consent screen — • Scopes = optivate user data from their Google Account. Learn more id</li> </ul> <ul> <li>Page usage agreements</li> </ul> <ul> <li>ADO OR REMOVE ScoPes</li> </ul> <ul> <li>ADO OR REMOVE ScoPes</li> <li>ADO OR REMOVE ScoPes</li> </ul> <ul> <li>ADO OR REMOVE ScoPes</li> <li>ADO OR REMOVE ScoPes</li> <li>Account email addes quotification including any pansonal info, duot info, duot in and paladity install info, duot in and paladity install info, duot in make paladity install info, duot in addity any pansonal info, duot in make paladity install info, duot in addity any pansonal info, duot in addity addity in addity in addity in addity in addity in add</li></ul>						
<ul> <li>Constant APIs &amp; services</li> <li>Constant screen — • Scopes — • Optional info — • Final review</li> <li>Constant screen — • Scopes — • Optional info — • Final review</li> <li>Scopes express the permissions you request users to authorize for your appa and slow you projects access specific types of private user data from their Googie Account. Learn more fo</li> <li>Page usage agreements</li> <li>Auto on REMOVE SCOPES</li> <li>Your non-sensitive scopes</li> <li>Auto on REMOVE SCOPES</li> <li>Scoper aproprint of the services and their scopes in the permission you request users to authorize for your appa and slow your projects access specific types of private user data from their Googie Account. Learn more fo</li> <li>Auto on REMOVE SCOPES</li> <li>Your non-sensitive scopes</li> <li>Auto on remove and their scope in the service and address in the private inter data from their for your appa for average appression in the private scopes in the service and the southing on a service scope in the service and the southing on a service scope in the service and the southing on a service scope in the service in the service scope in the service in the service scope in the service scope in the service scope in the service in the service scope in the</li></ul>	<ul> <li>Calubid APis &amp; services</li> <li>Calubid APis &amp; services</li> <li>Calubid APis &amp; services</li> <li>Consent screen - Scopes - Optional info - Final review</li> <li>Scopes express the permissions you request users to authorize for your app and allowy pur projectio accoss specific types of private user data</li> <li>Count consent screen - Scopes - Optional info - Final review</li> <li>Scopes express the permissions you request users to authorize for your app and allowy pur projectio accoss specific types of private user data</li> <li>Page usage agreements</li> <li>Page usage agreements</li> <li>Auto OR NEMOVE SCOPES</li> <li>Your non-sensitive scopes</li> <li>Auto Reservice and address in including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public including approal info Account email address info and public info approal info Account email address info Account email addres info Account email addre</li></ul>	≡ Google Cloud 🕻	Sample social login app 🔻		Search (/) for resources, docs, products, and more	Q Search	Ŀ ¢
<ul> <li>Control Ambient A</li></ul>	<ul> <li>Control of a standard of a stan</li></ul>	API APIs & Services	Prepare for verification	ion			
o     Credentials     Scopee supres the permissions you request user to subhitize for your app and allowy projects to access user as more to?       IP     Outh concerts some     If you desentifie (a) is copes, like scopes that let you access user as millior contracts, you will need to subhit your app for wrifteation. Learn more to?       IP     Page usage agreements     If you desentifie (b) copes, like scopes that let you access user as millior contracts, you will need to subhit your app for wrifteation. Learn more to?       IP     Vour non-sentifie copes	o     Credentials       g     Codentials       g     Page usage agreements       g     Codentials       g     Code	Enabled APIs & services	<ul> <li>OAuth consent screet</li> </ul>	reen — • Scopes — • Opti	onal info — • Final review		
<ul> <li>or Control and Dow your project to access specific types of private user data from their Google Account. Learn more 12</li> <li>Page usage agreements</li> <li>Page usage agreements</li> <li>ADO OR REMOVE SCOPES</li> </ul> Your non-sensitive scopes Your non-sensitive scopes i Ano OR REMOVE Sco	<ul> <li>or Contentials</li> <li>app and allow your project to access specific types of private user data from their Google Account. Learn more i/2</li> <li>Page usage agreements</li> <li>Page usage agreements</li> <li>ADD OR REMOVE SCOPES</li> <li>Court non-sensitive (a) properties of a bubmit your app for wertfloating. Learn more i/2</li> <li>ADD OR REMOVE SCOPES</li> <li>Court non-sensitive (b) report integring in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access a properting in their scopes</li> <li>Court non-sensitive (c) access acccess access access access acccess access access access access</li></ul>	iii Library	Scopes express the pe	ermissions you request users to auth	orize for your		
™       Page usage agreements         If you add sensitive (f) or sequence, like accepts that let you access a user's emails or contracts, you will need to submit your app for verification. Learn more C         NO OR REMOVE SCORES             Vour non-sensitive scopes             Image: sense in the facing description	Page usage agreements     If you add samality (f) or restricted (f) acopes. like scopes that let you excess a usa's smalled or contacts, you will need to submit your app for verification. Learn more 15       ADO OR INMOVE SCOPES       Your non-sensitive scopes       Variation of the part of the provide state of the publicity are primoral for the publicity are primoral fo	ow Credentials	app and allow your pro	oject to access specific types of priva			
■ Page usage agreements       access a user's emails or contacts, you will need to submit your app for werfication. Learn mote id         ▲ ADD OR REMOVE SCOPES       ADD OR REMOVE SCOPES         Your non-sensitive scopes <ul> <li>▲ ADD OR REMOVE Scopes</li> <li>■ ADD OR OR REMOVE Scopes</li> <li>■</li></ul>	Page usage agreements       access a user's emails or contacts, you will need to submit your app for werification. Learn more (2)       Ab O OR REMOVE SCOPES         Your non-sensitive scopes         Arit     Sogo     Veer facing description       Access remail or contacts, you will need to submit your app for werification. Learn more (2)	B OAuth consent screen			nee that lat you		
Apy       Scope       User-facing description         -/.ardn       Service profinancy Google       -/.ardn	Your non-sensitive scopes       Vaer-facing description         Image: Applie in the scope of t	$\equiv_0$ Page usage agreements	access a user's emails	s or contacts, you will need to submit			
API       Scope       User facing description	API     Scope     Userfacing decription       Jack     See your pirmary Coople (Juserfol)     Account email address (armail       Jack     See your personal info, (Including any personal porfile     Including any personal including any personal porfile       Operand     Associate you with your personal info     Including any personal personal info		ADD OR REMOVE SCOP	PES			
API     Scope     Userfacing description       _/auch     Are your primary Occogie     -       _/auch     Are your primary Occogie     -      auch     Are your primary Occogie     -      auch     Are your primary Occogie     -      auch     See your personal inflo,     -      aucherino     Including any personal     -      aucherino     Including any personal     -      aucherino     Associate publicy     -      aucherino     Associate occogie     -	API     Scope     User facing description      /auth     See your primary Google Ausertefo email     Image: Complex of the second Ausertefo 			_			
API     Scope     Userfacing description       _/auch     Are your primary Occogie     -       _/auch     Are your primary Occogie     -      auch     Are your primary Occogie     -      auch     Are your primary Occogie     -      auch     See your personal inflo,     -      aucherino     Including any personal     -      aucherino     Including any personal     -      aucherino     Associate publicy     -      aucherino     Associate occogie     -	API     Scope     User facing description      /auth     See your primary Google Ausertefo email     Image: Complex of the second Ausertefo 		Your non-sensitiv	ve scopes			
	Ludufi Austriafio amail Anutriafio Austriafi						
Auserinfo     Account email address      auth     See your personal info, Including any personal profile     Including any personal info you'w made abulbé available       operind     Associate you with your personal info Google	Auterinfo     Account email address      mail     See your personal info, Including any personal profile     Including any personal info you're material available       openid     Associate you with your personal info or Godge		• API 个				
Auseriefo     Including any personal       aportile     Info yoo'ne made publicly available       opend     Associate you with yoor       personal info ocogie	Auertifo including any personal indro you're mada publicity analiable openid Associate you with your personal life on Godge			/userinfo Account email addre			
.profile     info you've made publicly available       openid     Associate you with your personal ind or Google	profile     Info you've made publicly anilable       openid     Associate you with your personal link on Google						
personal info on Google	personal info on Google			.profile info you've made pu			
			<	,			
☆ Your sensitive scopes					â.		
Your sensitive scopes Sensitive access to private user data.			● API↑	Scope User-facing descript	ion		
Sensitive scopes are scopes that request access to private user data.	Sensitive scopes are scopes that request access to private user data.	<1	No rows to display				

≡	Google Cloud	Sample social login app 🔻		[	Search (/) for resources, docs, products, and more	Q Search	Þ ¢ (	? :
API	APIs & Services	Prepare for verification	n					
\$ #	Enabled APIs & services Library	Your non-sensitiv	e scopes					^
0-	Credentials	● API ↑	Scope	User-facing description				
в¥	OAuth consent screen		/auth /userinfo .email	See your primary Google Account email address	•			
Ξo	Page usage agreements		/auth /userinfo .profile	See your personal info, including any personal info you've made publicly available	8			
			openid	Associate you with your personal info on Google	•			- 6
		٢		,	>			
		Your sensitive	s that request a					
		API     API     No rows to display	Scope	User-facing description				
		Your restricted						
		Restricted scopes are scop	es that request	access to highly sensitive user	data.			
		● API ↑	Scope	User-facing description				
		No rows to display						

(6) On the "Optional info" screen, you can enter the information as suggested by Google to speed up their verification process. Click on "Save and continue" button to move to the next screen.

≡ Google Cloud :	Sample social login app 🔻	Search (/) for resources, docs, products, and more	Q Search	ь ф Ø I 🔵 î
RPI APIs & Services	Prepare for verification			< ^
Enabled APIs & services III Library	Your app registration requires verification by Google	We will check all fields required for verification and allow you to submit your app.		
Or Credentials	🥑 OAuth consent screen — 🥑 Scopes — 🔹	Optional info — • Final review		
≡ <sub>0</sub> Page usage agreements	You can speed up the verification process by providing more, helpful details about your app.	Google reviewers with		
	Optional info			
	Share email addresses of any Google contacts you've h	ad in the past		
	Share any final details about your app. Include any infor us with verification, like the Project IDs of any other pro-			
	This application allows customers on my e-commerce site to new account using their existing Google account. Signing in vi customers time, thereby enhancing their shopping experience.	a Google saves 🗸		
	Provide up to 3 more links to any relevant documentation	n		
	SAVE AND CONTINUE CANCEL			
<1				

(7) On the "Final review" screen, read all the entered information once again. Scroll down, check the checkbox and click on "Submit for verification" button to complete the submit process.

■ Google Cloud	Sample social login app 👻	Search (/) for resources, do	ocs, products, and more	Q Search	۶.,	
RPI APIs & Services	Prepare for verification					
<ul> <li>Enabled APIs &amp; services</li> <li>Library</li> <li>Credentials</li> </ul>	Contact email addresses					
UAuth consent screen						
≡ <sub>0</sub> Page usage agreements	Scopes		EDIT			
		Scope         User-facing description          /auth/userinfo         See your primary Google Account email           .email	address			
		/auth/userinfo See your personal info, including any per .profile you've made publicly available				
		openid Associate you with your personal info or	n Google			
	Optional info		EDIT			
	Email addresses of any Google conta Not provided	acts you've had in the past				
	Final details, including any information projects that use OAuth	on that will help us with verification, like the Project IDs of	any other			
	This application allows customers on	n my e-commerce site to log in or sign up for a new accou via Google saves customers time, thereby enhancing their	nt using their shopping			
	Links to any relevant documentation					
	Not provided					
	✓ My usage of OAuth Scopes complies w	with the Google API Services: User Data Policy, [2]				
<1	BACK TO DASHBOARD SUBMIT FO	OR VERIFICATION				

NOTE: Google's request processing time can take 2 to 3 days. Please check your inbox as Google will send an email notifying you that your request has been approved. If there are any issues that need to be corrected or added, Google will also notify you via email.