


Get StackExchange API key pair

Step 1: Click on this page <https://api.stackexchange.com/> and select “**Register for an app key**”.



Step 2: Log in with your Stack Apps account > Fill in the fields on “**Register Your Application**” screen,

- Enter your domain into **OAuth Domain** field.
- Check the “**Enable client side OAuth flow**” option.
- Click on “**Register your application**” button.

StackExchange Search on Stack Apps...

stackapps

Home

PUBLIC

- Questions
- Tags
- Users
- Unanswered

TEAMS

Stack Overflow for Teams - Collaborate and share knowledge with a private group.

Create a free Team

What is Teams?

Register Your V2.0 Application

Application Name
A sample social login app

Description
Log in to our website using your existing StackExchange account

OAuth Domain
yourdomain.com

Application Website
https://yourdomain.com

Application Icon (optional)
Must be hosted by the Stack Exchange Imgur account

Enable Client Side OAuth Flow

Register Your Application

Why Register?

Because it's the neighborly thing to do. We like to know who is using our API, and how, so we can have the metrics we need to support your application and improve the API together.

Once it's ready for public consumption, we'll help you promote your registered application here on Stack Apps.

Upon registering, you'll be provided an API key which grants your app a **much** larger per-day request quota than using the API anonymously.

You'll also receive parameters for authenticating users via OAuth 2.0.

Step 3: And now we're done! Copy the **Client ID** and **Client secret** then paste them into **Social Login** module configuration page.

StackExchange Search on Stack Apps...

stackapps

Home

PUBLIC

- Questions
- Tags
- Users
- Unanswered

TEAMS

Stack Overflow for Teams - Collaborate and share knowledge with a private group.

Create a free Team

What is Teams?

A sample social login app

Client Id
20523

This Id identifies your application to the Stack Exchange API. Your application client id is **not** secret, and may be safely embedded in distributed binaries.

Pass this as `client_id` in our OAuth 2.0 flow.

Client Secret (reset)
L7a)BJN9dQTGEq5fVae2A((

Pass this as `client_secret` in our OAuth 2.0 flow if your app uses the explicit path.

This **must be** kept secret. Do not embed it in client side code or binaries you intend to distribute. If you need client side authentication, use the implicit OAuth 2.0 flow.

Key
2vISFODaJE^UN9q3zWRQtA((

Pass this as `key` when making requests against the Stack Exchange API to receive a higher request quota.

This is not considered a secret, and may be safely embed in client side code or distributed binaries.

Description
Log in to our website using your existing StackExchange account
This **text-only** blurb will be shown to users during authentication.

OAuth Domain
login-app.ets-demos.com

Whenever a redirect occurs during an authentication sessions (as specified by `redirect_uri`) it must reside under this domain.

For the purposes of redirection, subdomains are considered to be under their parent domain. Registering `example.com` would allow a `redirect_uri` of `foo.example.com` for example.

Application Website

More Info

- Authentication Statistics
- API Documentation